



CITY OF PERRIS


DEVELOPMENT SERVICES DEPARTMENT

PLANNING DIVISION

135 NORTH D STREET, PERRIS, CA 92570-2200
(951) 943-5003

LEGEND:

- ① HARDSCAPE (TYPICAL)
- ② CLEAN BACKFILL - 90% COMPACTION REQUIRED, SEE SPECS
- ③ WASHED SAND (TYPICAL)
- ④ NON-PRESSURE LATERAL LINE/SLEEVE (SIZE PER CHART)
- ⑤ PRESSURE SUPPLY LINE/SLEEVE (SIZE PER CHART)
- ⑥ CONTROL WIRE SLEEVE ADJACENT TO MAINLINE SLEEVE (SIZE PER CHART)



PRESSURE MAINLINE	LANDSCAPE	<3"	24"
		3"+	36"
	VEHICULAR PAVING	<3"	30"
		3"+	36"
NON PRESSURE LATERAL	LANDSCAPE	<3"	12"
		3"+	18"
	VEHICULAR PAVING	<3"	24"
		3"+	30"

NOTES:

1. SIZE ALL SLEEVES PER SLEEVING CHART ON PLANS. EXTEND SLEEVES 12" BEYOND EDGE OF HARDSCAPE ON BOTH ENDS. RECLAIMED WATER SLEEVES TO BE A MINIMUM OF 42" - 48" DEEP (OR PER WATER DISTRICT STANDARDS) WHERE APPLICABLE.
2. FOR INSTALLATION PRIOR TO PIPING WORK, ADD TO SLEEVE ENDS PVC PIPES EXTENDING VERTICALLY FROM END OF SLEEVE TO BE 18" ABOVE GRADE.
3. AFTER PIPE OR WIRE INSTALLATION, SEAL ANY OPENINGS AT ENDS WITH EXPANDABLE FOAM.

N.T.S.

SLEEVING

1-7

DATE: 08/12/24