

Perris Industrial Future 2045 Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
 - 2.6. Operations Emissions by Sector, Mitigated
- 4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use
 - 4.1.1. Unmitigated
 - 4.1.2. Mitigated
 - 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.2. Electricity Emissions By Land Use - Mitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.2.4. Natural Gas Emissions By Land Use - Mitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.3.2. Mitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.4.2. Mitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.5.2. Mitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.6.2. Mitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.7.2. Mitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.8.2. Mitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.9.2. Mitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.9.2. Mitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.10.4. Landscape Equipment - Mitigated

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.11.2. Mitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.12.2. Mitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.13.2. Mitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.14.2. Mitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.15.2. Mitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

5.18.2.2. Mitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	Perris Industrial Future 2045
Operational Year	2045
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	0.20
Location	33.77196336547837, -117.21747025850104
County	Riverside-South Coast
City	Perris
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5503
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.24

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Unrefrigerated Warehouse-No Rail	795	1000sqft	25.8	795,109	326,700	0.00	—	Building 1

Unrefrigerated Warehouse-No Rail	72.0	1000sqft	9.15	71,961	326,700	0.00	—	Building 2
General Office Building	0.10	1000sqft	< 0.005	100	0.00	0.00	—	Guard Shack
Parking Lot	476	Space	18.4	0.00	0.00	0.00	—	Building 1/2
Parking Lot	323	Space	21.9	0.00	0.00	0.00	—	Storage Lot

1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Construction	C-13	Use Low-VOC Paints for Construction

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	32.7	22.1	98.8	0.31	0.67	23.1	23.7	0.65	5.91	6.56	824	39,776	40,599	85.1	3.74	9.14	43,851
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	26.4	22.8	52.7	0.30	0.61	23.0	23.6	0.60	5.89	6.49	824	38,616	39,439	85.1	3.76	0.24	42,689
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	30.6	23.0	79.9	0.30	0.65	23.1	23.7	0.63	5.91	6.54	824	38,873	39,696	85.1	3.76	3.95	42,951
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unmit.	5.58	4.19	14.6	0.05	0.12	4.21	4.33	0.11	1.08	1.19	136	6,436	6,572	14.1	0.62	0.65	7,111
--------	------	------	------	------	------	------	------	------	------	------	-----	-------	-------	------	------	------	-------

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	5.27	17.3	57.4	0.28	0.27	23.1	23.3	0.26	5.91	6.17	—	29,350	29,350	0.73	2.71	9.14	30,186
Area	27.2	0.32	37.7	< 0.005	0.07	—	0.07	0.05	—	0.05	—	155	155	0.01	< 0.005	—	156
Energy	0.24	4.45	3.74	0.03	0.34	—	0.34	0.34	—	0.34	—	9,256	9,256	0.97	0.07	—	9,301
Water	—	—	—	—	—	—	—	—	—	—	384	1,015	1,399	39.5	0.95	—	2,671
Waste	—	—	—	—	—	—	—	—	—	—	439	0.00	439	43.9	0.00	—	1,537
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	32.7	22.1	98.8	0.31	0.67	23.1	23.7	0.65	5.91	6.56	824	39,776	40,599	85.1	3.74	9.14	43,851
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	5.09	18.3	49.0	0.27	0.27	23.0	23.3	0.26	5.89	6.15	—	28,345	28,345	0.74	2.74	0.24	29,180
Area	21.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.24	4.45	3.74	0.03	0.34	—	0.34	0.34	—	0.34	—	9,256	9,256	0.97	0.07	—	9,301
Water	—	—	—	—	—	—	—	—	—	—	384	1,015	1,399	39.5	0.95	—	2,671
Waste	—	—	—	—	—	—	—	—	—	—	439	0.00	439	43.9	0.00	—	1,537
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	26.4	22.8	52.7	0.30	0.61	23.0	23.6	0.60	5.89	6.49	824	38,616	39,439	85.1	3.76	0.24	42,689
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	5.05	18.3	50.4	0.27	0.27	23.1	23.3	0.26	5.91	6.17	—	28,496	28,496	0.74	2.74	3.95	29,335
Area	25.3	0.22	25.8	< 0.005	0.05	—	0.05	0.03	—	0.03	—	106	106	< 0.005	< 0.005	—	107

Energy	0.24	4.45	3.74	0.03	0.34	—	0.34	0.34	—	0.34	—	9,256	9,256	0.97	0.07	—	9,301
Water	—	—	—	—	—	—	—	—	—	—	384	1,015	1,399	39.5	0.95	—	2,671
Waste	—	—	—	—	—	—	—	—	—	—	439	0.00	439	43.9	0.00	—	1,537
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	30.6	23.0	79.9	0.30	0.65	23.1	23.7	0.63	5.91	6.54	824	38,873	39,696	85.1	3.76	3.95	42,951
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.92	3.34	9.19	0.05	0.05	4.21	4.26	0.05	1.08	1.13	—	4,718	4,718	0.12	0.45	0.65	4,857
Area	4.61	0.04	4.71	< 0.005	0.01	—	0.01	0.01	—	0.01	—	17.6	17.6	< 0.005	< 0.005	—	17.7
Energy	0.04	0.81	0.68	< 0.005	0.06	—	0.06	0.06	—	0.06	—	1,532	1,532	0.16	0.01	—	1,540
Water	—	—	—	—	—	—	—	—	—	—	63.6	168	232	6.54	0.16	—	442
Waste	—	—	—	—	—	—	—	—	—	—	72.7	0.00	72.7	7.27	0.00	—	254
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	5.58	4.19	14.6	0.05	0.12	4.21	4.33	0.11	1.08	1.19	136	6,436	6,572	14.1	0.62	0.65	7,111

2.6. Operations Emissions by Sector, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	5.27	17.3	57.4	0.28	0.27	23.1	23.3	0.26	5.91	6.17	—	29,350	29,350	0.73	2.71	9.14	30,186
Area	27.2	0.32	37.7	< 0.005	0.07	—	0.07	0.05	—	0.05	—	155	155	0.01	< 0.005	—	156
Energy	0.24	4.45	3.74	0.03	0.34	—	0.34	0.34	—	0.34	—	9,256	9,256	0.97	0.07	—	9,301
Water	—	—	—	—	—	—	—	—	—	—	384	1,015	1,399	39.5	0.95	—	2,671
Waste	—	—	—	—	—	—	—	—	—	—	439	0.00	439	43.9	0.00	—	1,537
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	32.7	22.1	98.8	0.31	0.67	23.1	23.7	0.65	5.91	6.56	824	39,776	40,599	85.1	3.74	9.14	43,851

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	5.09	18.3	49.0	0.27	0.27	23.0	23.3	0.26	5.89	6.15	—	28,345	28,345	0.74	2.74	0.24	29,180
Area	21.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.24	4.45	3.74	0.03	0.34	—	0.34	0.34	—	0.34	—	9,256	9,256	0.97	0.07	—	9,301
Water	—	—	—	—	—	—	—	—	—	—	384	1,015	1,399	39.5	0.95	—	2,671
Waste	—	—	—	—	—	—	—	—	—	—	439	0.00	439	43.9	0.00	—	1,537
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	26.4	22.8	52.7	0.30	0.61	23.0	23.6	0.60	5.89	6.49	824	38,616	39,439	85.1	3.76	0.24	42,689
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	5.05	18.3	50.4	0.27	0.27	23.1	23.3	0.26	5.91	6.17	—	28,496	28,496	0.74	2.74	3.95	29,335
Area	25.3	0.22	25.8	< 0.005	0.05	—	0.05	0.03	—	0.03	—	106	106	< 0.005	< 0.005	—	107
Energy	0.24	4.45	3.74	0.03	0.34	—	0.34	0.34	—	0.34	—	9,256	9,256	0.97	0.07	—	9,301
Water	—	—	—	—	—	—	—	—	—	—	384	1,015	1,399	39.5	0.95	—	2,671
Waste	—	—	—	—	—	—	—	—	—	—	439	0.00	439	43.9	0.00	—	1,537
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	30.6	23.0	79.9	0.30	0.65	23.1	23.7	0.63	5.91	6.54	824	38,873	39,696	85.1	3.76	3.95	42,951
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.92	3.34	9.19	0.05	0.05	4.21	4.26	0.05	1.08	1.13	—	4,718	4,718	0.12	0.45	0.65	4,857
Area	4.61	0.04	4.71	< 0.005	0.01	—	0.01	0.01	—	0.01	—	17.6	17.6	< 0.005	< 0.005	—	17.7
Energy	0.04	0.81	0.68	< 0.005	0.06	—	0.06	0.06	—	0.06	—	1,532	1,532	0.16	0.01	—	1,540
Water	—	—	—	—	—	—	—	—	—	—	63.6	168	232	6.54	0.16	—	442
Waste	—	—	—	—	—	—	—	—	—	—	72.7	0.00	72.7	7.27	0.00	—	254
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	5.58	4.19	14.6	0.05	0.12	4.21	4.33	0.11	1.08	1.19	136	6,436	6,572	14.1	0.62	0.65	7,111

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	4.39	8.98	46.5	0.18	0.14	16.3	16.4	0.13	4.14	4.27	—	18,469	18,469	0.49	1.33	4.79	18,883
General Office Building	0.88	8.33	10.9	0.10	0.13	6.80	6.94	0.13	1.77	1.90	—	10,881	10,881	0.24	1.38	4.35	11,303
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	5.27	17.3	57.4	0.28	0.27	23.1	23.3	0.26	5.91	6.17	—	29,350	29,350	0.73	2.71	9.14	30,186
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	4.25	9.55	39.4	0.17	0.14	16.3	16.4	0.13	4.14	4.27	—	17,627	17,627	0.50	1.35	0.12	18,041
General Office Building	0.84	8.79	9.60	0.10	0.13	6.73	6.87	0.13	1.75	1.88	—	10,719	10,719	0.24	1.39	0.11	11,138
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Total	5.09	18.3	49.0	0.27	0.27	23.0	23.3	0.26	5.89	6.15	—	28,345	28,345	0.74	2.74	0.24	29,180
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.77	1.74	7.40	0.03	0.02	2.97	2.99	0.02	0.76	0.78	—	2,938	2,938	0.08	0.22	0.34	3,007
General Office Building	0.15	1.60	1.79	0.02	0.02	1.24	1.27	0.02	0.32	0.35	—	1,780	1,780	0.04	0.23	0.31	1,850
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.92	3.34	9.19	0.05	0.05	4.21	4.26	0.05	1.08	1.13	—	4,718	4,718	0.12	0.45	0.65	4,857

4.1.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	4.39	8.98	46.5	0.18	0.14	16.3	16.4	0.13	4.14	4.27	—	18,469	18,469	0.49	1.33	4.79	18,883
General Office Building	0.88	8.33	10.9	0.10	0.13	6.80	6.94	0.13	1.77	1.90	—	10,881	10,881	0.24	1.38	4.35	11,303
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	5.27	17.3	57.4	0.28	0.27	23.1	23.3	0.26	5.91	6.17	—	29,350	29,350	0.73	2.71	9.14	30,186
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrigerated Warehouse-No Rail	4.25	9.55	39.4	0.17	0.14	16.3	16.4	0.13	4.14	4.27	—	17,627	17,627	0.50	1.35	0.12	18,041
General Office Building	0.84	8.79	9.60	0.10	0.13	6.73	6.87	0.13	1.75	1.88	—	10,719	10,719	0.24	1.39	0.11	11,138
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	5.09	18.3	49.0	0.27	0.27	23.0	23.3	0.26	5.89	6.15	—	28,345	28,345	0.74	2.74	0.24	29,180
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.77	1.74	7.40	0.03	0.02	2.97	2.99	0.02	0.76	0.78	—	2,938	2,938	0.08	0.22	0.34	3,007
General Office Building	0.15	1.60	1.79	0.02	0.02	1.24	1.27	0.02	0.32	0.35	—	1,780	1,780	0.04	0.23	0.31	1,850
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.92	3.34	9.19	0.05	0.05	4.21	4.26	0.05	1.08	1.13	—	4,718	4,718	0.12	0.45	0.65	4,857

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	2,851	2,851	0.36	0.04	—	2,873
General Office Building	—	—	—	—	—	—	—	—	—	—	—	1.25	1.25	< 0.005	< 0.005	—	1.26
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	1,097	1,097	0.14	0.02	—	1,106
Total	—	—	—	—	—	—	—	—	—	—	—	3,950	3,950	0.50	0.06	—	3,980
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	2,851	2,851	0.36	0.04	—	2,873
General Office Building	—	—	—	—	—	—	—	—	—	—	—	1.25	1.25	< 0.005	< 0.005	—	1.26
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	1,097	1,097	0.14	0.02	—	1,106
Total	—	—	—	—	—	—	—	—	—	—	—	3,950	3,950	0.50	0.06	—	3,980
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	472	472	0.06	0.01	—	476
General Office Building	—	—	—	—	—	—	—	—	—	—	—	0.21	0.21	< 0.005	< 0.005	—	0.21
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	182	182	0.02	< 0.005	—	183

Total	—	—	—	—	—	—	—	—	—	—	—	654	654	0.08	0.01	—	659
-------	---	---	---	---	---	---	---	---	---	---	---	-----	-----	------	------	---	-----

4.2.2. Electricity Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	2,851	2,851	0.36	0.04	—	2,873
General Office Building	—	—	—	—	—	—	—	—	—	—	—	1.25	1.25	< 0.005	< 0.005	—	1.26
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	1,097	1,097	0.14	0.02	—	1,106
Total	—	—	—	—	—	—	—	—	—	—	—	3,950	3,950	0.50	0.06	—	3,980
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	2,851	2,851	0.36	0.04	—	2,873
General Office Building	—	—	—	—	—	—	—	—	—	—	—	1.25	1.25	< 0.005	< 0.005	—	1.26
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	1,097	1,097	0.14	0.02	—	1,106
Total	—	—	—	—	—	—	—	—	—	—	—	3,950	3,950	0.50	0.06	—	3,980
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	472	472	0.06	0.01	—	476
General Office Building	—	—	—	—	—	—	—	—	—	—	—	0.21	0.21	< 0.005	< 0.005	—	0.21
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	182	182	0.02	< 0.005	—	183
Total	—	—	—	—	—	—	—	—	—	—	—	654	654	0.08	0.01	—	659

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.24	4.45	3.74	0.03	0.34	—	0.34	0.34	—	0.34	—	5,305	5,305	0.47	0.01	—	5,320
General Office Building	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.88	0.88	< 0.005	< 0.005	—	0.89
Parking Lot	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.24	4.45	3.74	0.03	0.34	—	0.34	0.34	—	0.34	—	5,306	5,306	0.47	0.01	—	5,321
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.24	4.45	3.74	0.03	0.34	—	0.34	0.34	—	0.34	—	5,305	5,305	0.47	0.01	—	5,320

General Office Building	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.88	0.88	< 0.005	< 0.005	—	0.89
Parking Lot	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.24	4.45	3.74	0.03	0.34	—	0.34	0.34	—	0.34	—	5,306	5,306	0.47	0.01	—	5,321
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.04	0.81	0.68	< 0.005	0.06	—	0.06	0.06	—	0.06	—	878	878	0.08	< 0.005	—	881
General Office Building	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.15	0.15	< 0.005	< 0.005	—	0.15
Parking Lot	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.04	0.81	0.68	< 0.005	0.06	—	0.06	0.06	—	0.06	—	879	879	0.08	< 0.005	—	881

4.2.4. Natural Gas Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.24	4.45	3.74	0.03	0.34	—	0.34	0.34	—	0.34	—	5,305	5,305	0.47	0.01	—	5,320
General Office Building	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.88	0.88	< 0.005	< 0.005	—	0.89

Parking Lot	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.24	4.45	3.74	0.03	0.34	—	0.34	0.34	—	0.34	—	5,306	5,306	0.47	0.01	—	5,321
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.24	4.45	3.74	0.03	0.34	—	0.34	0.34	—	0.34	—	5,305	5,305	0.47	0.01	—	5,320
General Office Building	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.88	0.88	< 0.005	< 0.005	—	0.89
Parking Lot	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.24	4.45	3.74	0.03	0.34	—	0.34	0.34	—	0.34	—	5,306	5,306	0.47	0.01	—	5,321
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.04	0.81	0.68	< 0.005	0.06	—	0.06	0.06	—	0.06	—	878	878	0.08	< 0.005	—	881
General Office Building	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.15	0.15	< 0.005	< 0.005	—	0.15
Parking Lot	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.04	0.81	0.68	< 0.005	0.06	—	0.06	0.06	—	0.06	—	879	879	0.08	< 0.005	—	881

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	18.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	2.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	6.20	0.32	37.7	< 0.005	0.07	—	0.07	0.05	—	0.05	—	155	155	0.01	< 0.005	—	156
Total	27.2	0.32	37.7	< 0.005	0.07	—	0.07	0.05	—	0.05	—	155	155	0.01	< 0.005	—	156
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	18.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	2.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	21.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	3.41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.43	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.77	0.04	4.71	< 0.005	0.01	—	0.01	0.01	—	0.01	—	17.6	17.6	< 0.005	< 0.005	—	17.7

Total	4.61	0.04	4.71	< 0.005	0.01	—	0.01	0.01	—	0.01	—	17.6	17.6	< 0.005	< 0.005	—	17.7
-------	------	------	------	---------	------	---	------	------	---	------	---	------	------	---------	---------	---	------

4.3.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	18.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	2.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	6.20	0.32	37.7	< 0.005	0.07	—	0.07	0.05	—	0.05	—	155	155	0.01	< 0.005	—	156
Total	27.2	0.32	37.7	< 0.005	0.07	—	0.07	0.05	—	0.05	—	155	155	0.01	< 0.005	—	156
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	18.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	2.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	21.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	3.41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Architectural	0.43	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.77	0.04	4.71	< 0.005	0.01	—	0.01	0.01	—	0.01	—	17.6	17.6	< 0.005	< 0.005	—	17.7
Total	4.61	0.04	4.71	< 0.005	0.01	—	0.01	0.01	—	0.01	—	17.6	17.6	< 0.005	< 0.005	—	17.7

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	384	1,015	1,399	39.5	0.95	—	2,670
General Office Building	—	—	—	—	—	—	—	—	—	—	0.03	0.09	0.12	< 0.005	< 0.005	—	0.23
Parking Lot	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	384	1,015	1,399	39.5	0.95	—	2,671
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	384	1,015	1,399	39.5	0.95	—	2,670

General Office Building	—	—	—	—	—	—	—	—	—	—	0.03	0.09	0.12	< 0.005	< 0.005	—	0.23
Parking Lot	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	384	1,015	1,399	39.5	0.95	—	2,671
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	63.6	168	232	6.54	0.16	—	442
General Office Building	—	—	—	—	—	—	—	—	—	—	0.01	0.01	0.02	< 0.005	< 0.005	—	0.04
Parking Lot	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	63.6	168	232	6.54	0.16	—	442

4.4.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	384	1,015	1,399	39.5	0.95	—	2,670
General Office Building	—	—	—	—	—	—	—	—	—	—	0.03	0.09	0.12	< 0.005	< 0.005	—	0.23

Parking Lot	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	384	1,015	1,399	39.5	0.95	—	2,671
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	384	1,015	1,399	39.5	0.95	—	2,670
General Office Building	—	—	—	—	—	—	—	—	—	—	0.03	0.09	0.12	< 0.005	< 0.005	—	0.23
Parking Lot	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	384	1,015	1,399	39.5	0.95	—	2,671
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	63.6	168	232	6.54	0.16	—	442
General Office Building	—	—	—	—	—	—	—	—	—	—	0.01	0.01	0.02	< 0.005	< 0.005	—	0.04
Parking Lot	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	63.6	168	232	6.54	0.16	—	442

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	439	0.00	439	43.9	0.00	—	1,537
General Office Building	—	—	—	—	—	—	—	—	—	—	0.05	0.00	0.05	0.01	0.00	—	0.18
Parking Lot	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	439	0.00	439	43.9	0.00	—	1,537
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	439	0.00	439	43.9	0.00	—	1,537
General Office Building	—	—	—	—	—	—	—	—	—	—	0.05	0.00	0.05	0.01	0.00	—	0.18
Parking Lot	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	439	0.00	439	43.9	0.00	—	1,537
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	72.7	0.00	72.7	7.27	0.00	—	254

General Office Building	—	—	—	—	—	—	—	—	—	—	0.01	0.00	0.01	< 0.005	0.00	—	0.03
Parking Lot	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	72.7	0.00	72.7	7.27	0.00	—	254

4.5.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	439	0.00	439	43.9	0.00	—	1,537
General Office Building	—	—	—	—	—	—	—	—	—	—	0.05	0.00	0.05	0.01	0.00	—	0.18
Parking Lot	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	439	0.00	439	43.9	0.00	—	1,537
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	439	0.00	439	43.9	0.00	—	1,537
General Office Building	—	—	—	—	—	—	—	—	—	—	0.05	0.00	0.05	0.01	0.00	—	0.18

Parking Lot	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	439	0.00	439	43.9	0.00	—	1,537
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	72.7	0.00	72.7	7.27	0.00	—	254
General Office Building	—	—	—	—	—	—	—	—	—	—	0.01	0.00	0.01	< 0.005	0.00	—	0.03
Parking Lot	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	72.7	0.00	72.7	7.27	0.00	—	254

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
General Office Building	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

General Office Building	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
General Office Building	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005

4.6.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
General Office Building	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
General Office Building	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
General Office Building	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------------	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Unrefrigerated Warehouse-No Rail	1,696	1,696	1,696	619,026	19,980	19,980	19,980	7,292,598

Unrefrigerated Warehouse-No Rail	352	352	352	128,439	2,611	2,611	2,611	953,126
General Office Building	682	682	682	248,930	8,781	8,781	8,781	3,204,960
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Unrefrigerated Warehouse-No Rail	1,696	1,696	1,696	619,026	19,980	19,980	19,980	7,292,598
Unrefrigerated Warehouse-No Rail	352	352	352	128,439	2,611	2,611	2,611	953,126
General Office Building	682	682	682	248,930	8,781	8,781	8,781	3,204,960
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	1,300,755	433,585	105,191

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Unrefrigerated Warehouse-No Rail	3,659,371	261	0.0330	0.0040	15,180,366
Unrefrigerated Warehouse-No Rail	331,190	261	0.0330	0.0040	1,373,892
General Office Building	1,744	261	0.0330	0.0040	2,759
Parking Lot	700,210	261	0.0330	0.0040	0.00
Parking Lot	835,585	261	0.0330	0.0040	0.00

5.11.2. Mitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
----------	----------------------	-----	-----	-----	-----------------------

Unrefrigerated Warehouse-No Rail	3,659,371	261	0.0330	0.0040	15,180,366
Unrefrigerated Warehouse-No Rail	331,190	261	0.0330	0.0040	1,373,892
General Office Building	1,744	261	0.0330	0.0040	2,759
Parking Lot	700,210	261	0.0330	0.0040	0.00
Parking Lot	835,585	261	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-No Rail	183,868,956	5,180,061
Unrefrigerated Warehouse-No Rail	16,640,981	5,180,061
General Office Building	17,773	0.00
Parking Lot	0.00	0.00
Parking Lot	0.00	0.00

5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-No Rail	183,868,956	5,180,061
Unrefrigerated Warehouse-No Rail	16,640,981	5,180,061
General Office Building	17,773	0.00
Parking Lot	0.00	0.00
Parking Lot	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-No Rail	747	—
Unrefrigerated Warehouse-No Rail	67.6	—
General Office Building	0.09	—
Parking Lot	0.00	—
Parking Lot	0.00	—

5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-No Rail	747	—
Unrefrigerated Warehouse-No Rail	67.6	—
General Office Building	0.09	—
Parking Lot	0.00	—
Parking Lot	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
General Office Building	Household refrigerators and/or freezers	R-134a	1,430	0.02	0.60	0.00	1.00
General Office Building	Other commercial A/C and heat pumps	R-410A	2,088	< 0.005	4.00	4.00	18.0

5.14.2. Mitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
---------------	----------------	-------------	-----	---------------	----------------------	-------------------	----------------

General Office Building	Household refrigerators and/or freezers	R-134a	1,430	0.02	0.60	0.00	1.00
General Office Building	Other commercial A/C and heat pumps	R-410A	2,088	< 0.005	4.00	4.00	18.0

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

5.15.2. Mitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
----------------	-----------	----------------	---------------	----------------	------------	-------------

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
----------------	-----------	--------	--------------------------	------------------------------	------------------------------

5.17. User Defined

Equipment Type	Fuel Type
----------------	-----------

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

5.18.2.2. Mitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	29.5	annual days of extreme heat
Extreme Precipitation	2.30	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	6.30	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	4	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	4	1	1	4
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	97.1

AQ-PM	51.1
AQ-DPM	22.7
Drinking Water	62.2
Lead Risk Housing	38.2
Pesticides	74.4
Toxic Releases	29.5
Traffic	64.5
Effect Indicators	—
CleanUp Sites	37.6
Groundwater	14.3
Haz Waste Facilities/Generators	16.6
Impaired Water Bodies	0.00
Solid Waste	59.2
Sensitive Population	—
Asthma	34.5
Cardio-vascular	75.9
Low Birth Weights	66.1
Socioeconomic Factor Indicators	—
Education	75.4
Housing	72.6
Linguistic	59.4
Poverty	65.1
Unemployment	—

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
-----------	---------------------------------

Economic	—
Above Poverty	15.68073912
Employed	8.956756063
Median HI	18.47812139
Education	—
Bachelor's or higher	21.19851148
High school enrollment	100
Preschool enrollment	31.61811882
Transportation	—
Auto Access	59.70742974
Active commuting	10.39394328
Social	—
2-parent households	77.56961376
Voting	33.02964199
Neighborhood	—
Alcohol availability	75.72180162
Park access	8.058514051
Retail density	12.52406005
Supermarket access	20.54407802
Tree canopy	1.578339535
Housing	—
Homeownership	59.66893366
Housing habitability	44.57846786
Low-inc homeowner severe housing cost burden	28.23046324
Low-inc renter severe housing cost burden	42.28153471
Uncrowded housing	24.38085461
Health Outcomes	—

Insured adults	33.79956371
Arthritis	13.5
Asthma ER Admissions	49.4
High Blood Pressure	8.4
Cancer (excluding skin)	49.7
Asthma	5.9
Coronary Heart Disease	21.3
Chronic Obstructive Pulmonary Disease	13.3
Diagnosed Diabetes	13.1
Life Expectancy at Birth	24.0
Cognitively Disabled	46.5
Physically Disabled	52.4
Heart Attack ER Admissions	12.4
Mental Health Not Good	17.1
Chronic Kidney Disease	10.6
Obesity	6.5
Pedestrian Injuries	97.1
Physical Health Not Good	17.0
Stroke	6.5
Health Risk Behaviors	—
Binge Drinking	82.5
Current Smoker	17.7
No Leisure Time for Physical Activity	13.9
Climate Change Exposures	—
Wildfire Risk	27.2
SLR Inundation Area	0.0
Children	17.1

Elderly	58.6
English Speaking	45.7
Foreign-born	50.3
Outdoor Workers	12.5
Climate Change Adaptive Capacity	—
Impervious Surface Cover	90.6
Traffic Density	38.2
Traffic Access	23.0
Other Indices	—
Hardship	81.5
Other Decision Support	—
2016 Voting	47.0

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	70.0
Healthy Places Index Score for Project Location (b)	19.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	Yes
Project Located in a Low-Income Community (Assembly Bill 1550)	Yes
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Adjusted acreage to meet Total Disturbance Areas of 53.3 West + 21.9 East. Building acreage assumed to be building size plus landscaping area, and remainder assumed to be parking lot.
Construction: Construction Phases	Site vacant - no demolition. Revised to September start date with default work day assumptions. Reduced phases proportionally to a 3 year construction period based on similar project (First March Logistics Air Quality Impact Analysis)
Operations: Vehicle Data	Revised trip rate per traffic analysis. W-O trips revised to 40 miles for truck trips for Building 1/2, changed W-O trip % to % of ADT attributable to truck trips. Revised H-W and O-O trip lengths to total VMT consistent with traffic analysis Storage lot trips are input for the guard station. Default assumed
Operations: Fleet Mix	Revised based on truck mix in TIA/CalEEMod Version 2013.2 User Guide Appendix E. LHD1/2 assumed for 2-axle, MHD2 for 3-axle, and HHD assumed for 4-5 axle
Construction: Architectural Coatings	Revised to 50 g/L per SCAQMD Rule 1113 for Building Envelope Coating