

**Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program**

Introduction

This Mitigation Monitoring and Reporting Program has been prepared for the City of Perris' use in ensuring the implementation of the mitigation measures adopted for the Nance Street Trailer Storage and Maintenance Yards. The Mitigation Monitoring and Reporting Program has been prepared in compliance with State law and the Mitigated Negative Declaration adopted for the Nance Street Trailer Storage and Maintenance Yards.

The California Environmental Quality Act (CEQA) requires the adoption of a reporting or monitoring program for the measures that are placed on a project to mitigate or avoid adverse effects on the environment (California Public Resources Code, Section 21081.6). The law states that the reporting or monitoring program shall be designed to ensure compliance during project implementation. The monitoring program generally contains the following elements:

The mitigation measures are recorded with the action and procedure necessary to ensure compliance. In some instances, one action may be used to verify the implementation of several mitigation measures.

A procedure for compliance and verification has been outlined for each action necessary. This procedure designates who will take action, what action will be taken and when, and to whom and when compliance will be reported.

The program has been designed to be flexible. As monitoring progresses, changes to compliance procedures may be necessary based upon recommendations by those responsible for the program. As changes are made, new monitoring compliance procedures and records will be developed and incorporated into the program.

This Mitigation Monitoring and Reporting Program includes applicable mitigation measures from the Perris Valley Commerce Center Specific Plan Environmental Impact Report and Project-specific mitigation measures outlined in the Mitigated Negative Declaration adopted for the Nance Street Trailer Storage and Maintenance Yards.

Mitigation Monitoring and Responsibilities

As the Lead Agency, the City of Perris (City) is responsible for ensuring full compliance with the mitigation measures adopted for the Nance Street Trailer Storage and Maintenance Yards. The City will monitor and report on all mitigation activities. Mitigation measures will be implemented at different stages of development throughout the project area. In this regard, the responsibilities for implementation have been assigned to the Property Owner/Developer. If during the course of project implementation, any of the mitigation measures identified herein cannot be successfully implemented, the City shall be immediately informed, and the City will then inform any affected responsible agencies. The City, in conjunction with any affected responsible agencies, will subsequently determine if modification to the project is required and/or whether alternative mitigation is appropriate.

Terms and Definitions

**Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program**

1. **Property Owner/Developer** – Owner or developer of the Lake Creek Industrial Nance Street Trailer Storage and Maintenance Yards.
2. **Environmental Equivalent/Timing** – Any mitigation measure and timing thereof, subject to the approval of the City, which will have the same or superior result and will have the same or superior effect on the environment. The Planning Division, in conjunction with any appropriate agencies or City departments, shall determine the adequacy of any proposed "environmental equivalent/timing" and, if determined necessary, may refer said determination to the City Council. Any costs associated with information required in order to make a determination of environmental equivalency/timing shall be done by the property owner/developer. Staff time for reviews will be charged on a time and materials basis at the rate in the City's adopted Fee Schedule.
3. **Implementation Timing** – This is the point where a mitigation measure must be monitored for compliance. In the case where multiple action items are indicated, it is the first point where compliance associated with the mitigation measure must be monitored. Once the initial action item has been complied with, no additional monitoring pursuant to the Mitigation Monitoring and Reporting Plan will occur, as routine City practices and procedures will ensure that the intent of the measure has been complied with. For example, if the timing is "to be shown on approved building plans" subsequent to issuance of the building permit consistent with the approved plans will be final building and zoning inspections pursuant to the building permit to ensure compliance.
4. **Responsibility Monitoring Party** – Shall mean that compliance with the subject mitigation measure(s) shall be reviewed and determined adequate by all departments listed for each mitigation measure. Outside public agency review is limited to those public agencies specified in the Mitigation Monitoring and Reporting Plan which have permit authority in conjunction with the mitigation measure.
5. **Ongoing Mitigation Measures** – The mitigation measures that are designated to occur on an ongoing basis as part of this Mitigation Monitoring Plan will be monitored in the form of an annual letter from the property owner/developer in January of each year demonstrating how compliance with the subject measure(s) has been achieved. When compliance with a measure has been demonstrated for a period of one year, monitoring of the measure will be deemed to be satisfied and no further monitoring will occur. For measures that are to be monitored "Ongoing During Construction", the annual letter will review those measures only while construction is occurring; monitoring will be discontinued after construction is complete. A final annual letter will be provided at the close of construction.
6. **Building Permit** – For purposes of this Mitigation and Reporting Monitoring Plan, a building permit shall be defined as any permit issued for construction of a new building or structural expansion or modification of any existing building but shall not include any permits required for interior tenant improvements or minor additions to an existing structure or building.

**Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program**

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|--------------------|--|---|-------------------------------|--|--------------------|
| Aesthetics | MM AES-1: Prior to issuance of grading permits, the Property Owner/Developer shall provide evidence to the City that any temporary nighttime lighting installed for security purposes shall be downward facing and hooded or shielded to prevent security light spillage outside of the staging area or direct broadcast of security light into the sky. | Prior to issuance of grading permits | Planning Division | Confirmation that this requirement is included in contractor specifications | |
| Air Quality | MM Air 2: Each individual implementing development project shall submit a traffic control plan prior to the issuance of a grading permit. The traffic control plan shall describe in detail safe detours and provide temporary traffic control during construction activities for that project. To reduce traffic congestion, the plan shall include, as necessary, appropriate, and practicable, the following: temporary traffic controls such as a flag person during all phases of construction to maintain smooth traffic flow, dedicated turn lanes for movement of construction trucks and equipment on- and off-site, scheduling of construction activities that affect traffic flow on the arterial system to off- | Prior to issuance of grading permits | Engineering Department | Review and approval of required traffic control plan | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|---|--------------------------------------|------------------------------|--|--------------------|
| | peak hour, consolidating truck deliveries, rerouting of construction trucks away from congested streets or sensitive receptors, and/or signal synchronization to improve traffic flow. | | | | |
| Air Quality | <p>MM Air 3: To reduce fugitive dust emissions, the development of each individual implementing development project shall comply with South Coast AQMD Rule 403. The developer of each implementing project shall provide the City of Perris with the South Coast AQMD- approved dust control plan, or other sufficient proof of compliance with Rule 403, prior to grading permit issuance. Dust control measures shall include, but are not limited to:</p> <ul style="list-style-type: none"> • Requiring the application of non-toxic soil stabilizers according to manufacturers' specifications to all inactive construction areas (previously graded areas inactive for 20 days or more, assuming no rain), • Keeping disturbed/loose soil moist at all times, • Requiring trucks entering or leaving the Project Site hauling dirt, sand, or soil, or other loose | Prior to issuance of grading permits | Planning Division | Submittal of dust control plan approved by the South Coast AQMD or other sufficient proof of compliance with South Coast AQMD Rule 403 | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|--|-----------------------|------------------------------|-----------------------------|--------------------|
| | <p>materials on public roads to be covered,</p> <ul style="list-style-type: none"> • Installation of wheel washers or gravel construction entrances where vehicles enter and exit unpaved roads onto paved roads, or wash off trucks and any equipment leaving the Project Site each trip, • Posting and enforcement of traffic speed limits of 15 miles per hour or less on all unpaved portions of the Project Site, • Suspending all excavating and grading operations when wind gusts (as instantaneous gust) exceed 25 miles per hour, • Appointment of a construction relations officer to act as a community liaison concerning on-site construction activity including resolution of issues related to PM-10 generation, sweeping streets at the end of the day if visible soil material is carried onto adjacent paved public roads and use of SCAQMD Rule 1186 and 1186.1 certified street sweepers or roadway washing trucks when | | | | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|---|--|------------------------------|--|--------------------|
| | <p>sweeping streets to remove visible soil materials,</p> <ul style="list-style-type: none"> Replacement of ground cover in disturbed areas as quickly as possible. | | | | |
| Air Quality | MM Air 4: Building and grading permits shall include a restriction that limits idling of construction equipment on site to no more than five minutes. | Prior to issuance of grading and building permits | Building Division | Confirmation that building and grading permits include required restriction | |
| Air Quality | MM Air 5: Electricity from power poles shall be used instead of temporary diesel or gasoline-powered generators to reduce the associated emissions. Approval will be required by the City of Perris' Building Division prior to issuance of grading permits. | Prior to issuance of grading permits | Building Division | Confirmation that this requirement is included in contractor specifications | |
| Air Quality | MM Air 6: The developer of each implementing development project shall require, by contract specifications, the use of alternative fueled off-road construction equipment, the use of construction equipment that demonstrates early compliance with off-road equipment with the CARB in-use off-road diesel vehicle regulation (South Coast AQMD Rule 2449) and/or meets or exceeds Tier 3 standards with available CARB verified or US EPA | Prior to issuance of grading permits | Building Division | Confirmation that this requirement is included in contractor specifications | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|--|--|------------------------------|---|--------------------|
| | certified technologies. Diesel equipment shall use water emulsified diesel fuel such as PuriNOx unless it is unavailable in Riverside County at the time of project construction activities. Contract specifications shall be included in project construction documents, which shall be reviewed by the City of Perris' Building Division prior to issuance of a grading permit. | | | | |
| Air Quality | MM Air 7: During construction, ozone precursor emissions from mobile construction equipment shall be controlled by maintaining equipment engines in good condition and in proper tune per manufacturers' specifications to the satisfaction of the City of Perris' Building Division. Equipment maintenance records and equipment design specification data sheets shall be kept on-site during construction. Compliance with this measure shall be subject to periodic inspections by the City of Perris' Building Division. | Prior to issuance of grading and building permits and periodically during construction | Building Division | Confirmation that this requirement is included in contractor specifications Periodic review of equipment maintenance records and equipment design specifications data sheets by City staff | |
| Air Quality | MM Air 8: Each individual implementing development project shall apply paints using either high volume low pressure (HVLP) spray equipment with a minimum transfer | Prior to issuance of building permits | Building Division | Confirmation that this requirement is included in contractor specifications | |

**Lake Creek Industrial
 Nance Street Trailer Storage and Maintenance Yards
 DPR 22-00022, DPR 23-00009, and DPR 23-00010
 Mitigation Monitoring and Reporting Program**

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|--------------------|---|---|---------------------------------|---|--------------------|
| | efficiency of at least 50 percent or other application techniques with equivalent or higher transfer efficiency. | | | | |
| Air Quality | <p>MM Air 9: To reduce VOC emissions associated with architectural coating, the project designer and contractor shall reduce the use of paints and solvents by utilizing pre-coated materials (e.g., bathroom stall dividers, metal awnings), materials that do not require painting, and require coatings and solvents with a VOC content lower than required under Rule 1113 to be utilized. The construction contractor shall be required to utilize “Super-Compliant” VOC paints, which are defined in [the] South Coast AQMD’s Rule 1113. Construction specifications shall be included in building specifications that ensure these requirements are implemented. The specifications for each implementing development project shall be reviewed by the City of Perris’ Building Division for compliance with this mitigation measure prior to issuance of a building permit for that project.</p> | <p>Prior to issuance of building permits</p> | <p>Building Division</p> | <p>Confirmation that this requirement is included in contractor specifications</p> | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|--|--|------------------------------|---|--------------------|
| Air Quality | MM Air 11: Signage shall be posted at loading docks and all entrances to loading areas prohibiting all on-site truck idling in excess of five minutes. | Prior to issuance of certificates of occupancy | Building Division | Confirmation that this requirement is included in building plans and construction specifications Inspection to confirm placement of signs | |
| Air Quality | MM Air 13: In order to promote alternative fuels, and help support “clean” truck fleets, the developer/successor-in-interest shall provide building occupants and businesses with information related to [the] South Coast AQMD’s Carl Moyer Program, or other state programs that restrict operations to “clean” trucks, such as 2007 or newer model year or 2010 compliant vehicles and information including, but not limited to, the health effect of diesel particulates, benefits of reduced idling time, CARB regulations, and importance of not parking in residential areas. If trucks older than 2007 model year will be used at a facility with three or more dock-high doors, the developer/successor-in-interest shall require, within one year of signing a lease, future tenants to apply in good-faith for funding for diesel truck | Prior to issuance of certificates of occupancy | Planning Division | Confirmation that tenants have been provided with information regarding funding for cleaner than required heavy-duty engines and emission control devices | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|---------------------------|--|--|------------------------------|-----------------------------|--------------------|
| | <p>replacement/retrofit through grant programs such as the Carl Moyer, Prop 1B, VIP, HVIP, and SOON funding programs, as identified on [the] South Coast AQMD's website (http://www.aqmd.gov). Tenants will be required to use those funds, if awarded.</p> | | | | |
| <p>Air Quality</p> | <p>MM Air 18: Prior to the approval of each implementing development project, the Riverside Transit Agency (RTA) shall be contacted to determine if the RTA has plans for the future provision of bus routing within any street that is adjacent to the implementing development project that would require bus stops at the project access points. If the RTA has future plans for the establishment of a bus route that will serve the implementing development project, road improvements adjacent to the Project Site shall be designed to accommodate future bus turnouts at locations established through consultation with the RTA. RTA shall be responsible for the construction and maintenance of the bus stop facilities. The area set aside for bus turnouts shall conform to RTA design standards,</p> | <p style="text-align: center;">Mitigation measure completed with preparation of the MND</p> | | | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------------------|--|--|---------------------------------|--|--------------------|
| | including the design of the contact between sidewalks and curb and gutter at bus stops and the use of ADA-compliant paths to the major building entrances in the project. | | | | |
| Biological Resources | <p>MM BR-1: In order to avoid violation of the MBTA and the California Fish and Game Code, site-preparation activities (removal of trees and vegetation) for the Project shall be avoided, to the greatest extent possible, during the nesting season of potentially occurring native and migratory bird species.</p> <p>If site-preparation activities are proposed during the nesting/breeding season, the Project proponent shall retain a qualified biologist to conduct a pre-activity field survey prior to the issuance of grading permits for the Project to determine if active nests of species protected by the MBTA or the California Fish and Game Code are present in the construction zone.</p> <p>If active nests are not located within the Project Site and an appropriate buffer of 500 feet of an active listed species or raptor nest, 300 feet of other sensitive or protected bird nests (non-listed), or 100 feet of sensitive or protected</p> | <p style="text-align: center;">Mitigation measure required only between February 1 and August 31</p> <p>Pre-construction survey to be conducted no more than 30 days prior to issuance of a grading permit</p> | <p>Planning Division</p> | <p style="text-align: center;">Review of pre-activity field survey report</p> <p style="text-align: center;">Submittal of report of findings</p> | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|---|-----------------------|------------------------------|-----------------------------|--------------------|
| | <p>songbird nests, construction may be conducted during the nesting/breeding season. However, if active nests are located during the pre-activity field survey, the biologist shall immediately establish a conservative avoidance buffer surrounding the nest based on their best professional judgement and experience. The biologist shall monitor the nest at the onset of Project activities, and at the onset of any changes in such Project activities (e.g., increase in number or type of equipment, change in equipment usage, etc.) to determine the efficacy of the buffer. If the biologist determines that such Project activities may be causing an adverse reaction, the biologist shall adjust the buffer accordingly or implement alternative avoidance and minimization measures, such as redirecting or rescheduling construction or erecting sound barriers. All work within these buffers will be halted until the nesting effort is finished (i.e., the juveniles are surviving independent from the nest). The on-site qualified biologist will review and verify compliance with these nesting avoidance buffers and will verify the nesting effort has finished. Work can</p> | | | | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|------------------------------------|---|---|---------------------------------|---|--------------------|
| | <p>resume within these avoidance areas when no other active nests are found. Upon completion of the survey and nesting bird monitoring, a report shall be prepared and submitted to the City of Perris Planning Division for mitigation monitoring compliance record keeping.</p> | | | | |
| <p>Biological Resources</p> | <p>MM BR-2: The Project proponent shall retain a qualified biologist to conduct a pre-construction survey for resident burrowing owls within 30 days prior to commencement of grading and construction activities on the Project Site. The survey will include the Project Site and all suitable burrowing owl habitat within a 500-foot buffer. The results of the survey will be submitted to the City prior to obtaining a grading permit. In addition, if burrowing owls are observed during the MBTA nesting bird survey, to be conducted within three days prior to ground disturbance or vegetation clearance, the observation shall be reported to the Wildlife Agencies. If ground disturbing activities in these areas are delayed or suspended for more than 30 days after the pre-construction survey, the area shall be resurveyed for owls. The pre-</p> | <p>Pre-construction surveys to be conducted no more than 30 days prior to initiation of grading or construction activities</p> | <p>Planning Division</p> | <p>Review of pre-activity field survey reports</p> | |

**Lake Creek Industrial
 Nance Street Trailer Storage and Maintenance Yards
 DPR 22-00022, DPR 23-00009, and DPR 23-00010
 Mitigation Monitoring and Reporting Program**

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|--|-----------------------|------------------------------|-----------------------------|--------------------|
| | <p>construction survey and any relocation activity will be conducted in accordance with the current Burrowing Owl Survey Instructions for the Western Riverside MSHCP.</p> <p>If burrowing owls are detected, the CDFW shall be sent written notification by the City, within three days of detection of burrowing owls. If active nests are identified during the pre-construction survey, the nests shall be avoided and the qualified biologist and Project Applicant shall coordinate with the City of Perris Planning Department, the USFWS, and the CDFW to develop a Burrowing Owl Plan to <u>be</u> approved by the City in consultation with the CDFW and the USFWS prior to commencing Project activities. The Burrowing Owl Plan shall be prepared in accordance with guidelines in the CDFW Staff Report on Burrowing Owl (March 2012) and MSHCP. The Burrowing Owl Plan shall describe proposed avoidance, minimization, relocation, and monitoring as applicable. The Burrowing Owl Plan shall include the number and location of occupied burrow sites and details on proposed buffers if avoiding the burrowing owls</p> | | | | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|---|-----------------------|------------------------------|-----------------------------|--------------------|
| | <p>and/or information on the adjacent or nearby suitable habitat available to owls for relocation. If no suitable habitat is available nearby for relocation, details regarding the creation and funding of artificial burrows (numbers, location, and type of burrows) and management activities for relocated owls may also be required in the Burrowing Owl Plan. The Permittee shall implement the Burrowing Owl Plan following CDFW and USFWS review and concurrence. A final letter report shall be prepared by the qualified biologist documenting the results of the Burrowing Owl Plan. The letter shall be submitted to the CDFW prior to the start of Project activities. When a qualified biologist determines that burrowing owls are no longer occupying the Project site per the criteria in the Burrowing Owl Plan, Project activities may begin.</p> <p>If burrowing owls occupy the Project Site after Project activities have started, then construction activities shall be halted immediately. The Project proponent shall notify the City, and the City shall notify the CDFW and the USFWS within 48 hours of detection. A</p> | | | | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------------------|--|--|------------------------------|---|--------------------|
| | Burrowing Owl Plan, as detailed above, shall be implemented. | | | | |
| Biological Resources | MM BR-3: The Project proponent shall retain a qualified biologist to provide training of all field staff working at the Project Site on applicable or relevant and appropriate local, state, and federal regulatory agency requirements, environmental laws, and regulations associated with working within special status species habitats and biological resources. | Prior to issuance of a grading permit | Planning Division | Confirmation of biologist retention/training meeting | |
| Biological Resources | MM BR-4: The Project proponent shall retain a qualified biologist to ensure that no personnel working within Project limits will “take” or destroy plants, animals, or active nests (or eggs) of birds that are protected under the Federal or State Endangered Species Acts and Migratory Bird Treaty Act. | Prior to issuance of a grading permit | Planning Division | Confirmation of biologist retention | |
| Cultural Resources | MM CR-1: Prior to the issuance of grading permits, the Project proponent/developer shall retain a professional archaeologist meeting the Secretary of the Interior’s Professional Standards for Archaeology (U.S. Department of Interior, 2012; Registered Professional Archaeologist preferred). The primary task of the Project archaeologist shall be to | Prior to issuance of grading permits and during subsurface excavation | Planning Division | Approval of professional archaeologist by the City of Perris Director of Development Services/confirmation of Native American agreement/ongoing monitoring/submittal of Report of Findings | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|--|-----------------------|------------------------------|-----------------------------|--------------------|
| | <p>monitor the initial ground-disturbing activities at both the Project Sites and any off-site Project-related improvement areas for the identification of any previously unknown archaeological and/or cultural resources. Selection of the archaeologist shall be subject to the approval of the City of Perris Director of Development Services and no ground-disturbing activities shall occur at the Project Sites or within the off-site Project improvement areas until the Project archaeologist has been approved by the City.</p> <p>The Project archaeologist shall be responsible for monitoring ground-disturbing activities, including initial vegetation removal, maintaining daily field notes and a photographic record, and for reporting all finds to the developer and the City of Perris in a timely manner. The Project archaeologist shall be prepared and equipped to record and salvage cultural resources that may be unearthed during ground-disturbing activities and shall be empowered to temporarily halt or divert ground-disturbing equipment</p> | | | | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|---|-----------------------|------------------------------|-----------------------------|--------------------|
| | <p>to allow time for the recording and removal of the resources.</p> <p>The Project proponent/developer shall also enter into an agreement with either the Soboba Band of Luiseño Indians, the Rincon Band of Luiseño Indians, or the Pechanga Band of Indians for a Native American tribal representative (observer/monitor) to work along with the Project archaeologist. This tribal representative will assist in the identification of Native American resources and will act as a representative between the City, the Project proponent/developer, and Native American Tribal Cultural Resources Department. The Native American tribal representative shall be on-site during all ground-disturbing of each portion of the Project Sites including clearing, grubbing, tree removals, grading, trenching, etc. The Native American tribal representative should be on-site any time the Project archaeologist is required to be on-site. Working with the Project archaeologist, the Native American representative shall have the authority to halt, redirect, or divert any activities in areas where the identification, recording, or</p> | | | | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|--|-----------------------|------------------------------|-----------------------------|--------------------|
| | <p>recovery of Native American resources are on-going.</p> <p>The agreement between the Project proponent/developer and the Native American tribe shall include, but not be limited to:</p> <ul style="list-style-type: none"> • An agreement that artifacts will be reburied on-site and in an area of permanent protection. • Reburial shall not occur until all cataloging and basic recordation have been completed by the Project archaeologist. • Native American artifacts that cannot be avoided or relocated at the Project Sites shall be prepared for curation at an accredited curation facility in Riverside County that meets federal standards (per 36 CFR Part 79) and available to archaeologists/researchers for further study; and • The project archaeologist shall deliver the Native American artifacts, including title, to the identified curation facility within a reasonable amount of time, along with applicable fees for permanent curation. | | | | |

**Lake Creek Industrial
 Nance Street Trailer Storage and Maintenance Yards
 DPR 22-00022, DPR 23-00009, and DPR 23-00010
 Mitigation Monitoring and Reporting Program**

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|---|-----------------------|------------------------------|-----------------------------|--------------------|
| | <p>The Project proponent/developer shall submit a fully executed copy of the agreement to the City of Perris Planning Division to ensure compliance with this mitigation measure. Upon verification, the City of Perris Planning Division shall clear this mitigation measure. This agreement shall not modify any conditions of approval or mitigation measure.</p> <p>In the event that archaeological resources are discovered at the Project Sites or within any off-site Project improvement areas, the handling of the discovered resource(s) will differ, depending on the nature of the find. Consistent with California Public Resources Code Section 21083.2(b) and Assembly Bill 52 (Chapter 532, Statutes of 2014), avoidance shall be the preferred method of preservation for Native American/tribal cultural/archaeological resources. However, it is understood that all artifacts, with the exception of human remains and related grave goods or sacred/ceremonial/religious objects, belong to the property owner. The property owner will commit to the relinquishing and curation of all</p> | | | | |

**Lake Creek Industrial
 Nance Street Trailer Storage and Maintenance Yards
 DPR 22-00022, DPR 23-00009, and DPR 23-00010
 Mitigation Monitoring and Reporting Program**

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|---|-----------------------|------------------------------|-----------------------------|--------------------|
| | <p>artifacts identified as being of Native American origin. All artifacts, Native American or otherwise, discovered during the monitoring program shall be recorded and inventoried by the Project archaeologist.</p> <p>If any Native American artifacts are identified when the Native American tribal representative is not present, all reasonable measures will be taken to protect the resource(s) in situ and the City Planning Division and Native American tribal representative will be notified. The designated Native American tribal representative will be given ample time to examine the find. If the find is determined to be of sacred or religious value, the Native American tribal representative will work with the City and Project archaeologist to protect the resource in accordance with tribal requirements. All analysis will be undertaken in a manner that avoids destruction or other adverse impacts.</p> <p>In the event that human remains are discovered at the Project Sites or within any off-site Project improvement areas, mitigation measure MM CR-2 shall immediately apply, and all items found</p> | | | | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|--|-----------------------|------------------------------|-----------------------------|--------------------|
| | <p>in association with Native American human remains shall be considered grave goods or sacred in origin and subject to special handling.</p> <p>Non-Native American artifacts shall be inventoried, assessed, and analyzed for cultural affiliation, personal affiliation (prior ownership), function, and temporal placement. Subsequent to analysis and reporting, these artifacts will be subjected to curation, as deemed appropriate, or returned to the property owner.</p> <p>Once grading activities have ceased and/or the Project archaeologist, in consultation with the designated Native American representative, determines that monitoring is no longer warranted, monitoring activities can be discontinued following notification to the City of Perris Planning Division.</p> <p>A report of findings, including an itemized inventory of artifacts, shall be prepared upon completion of the tasks outlined above. The report shall include all data outlined by the Office of Historic Preservation guidelines, including a conclusion of the significance of all recovered, relocated,</p> | | | | |

**Lake Creek Industrial
 Nance Street Trailer Storage and Maintenance Yards
 DPR 22-00022, DPR 23-00009, and DPR 23-00010
 Mitigation Monitoring and Reporting Program**

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|--|---|--|---|---|--------------------|
| | <p>and reburied artifacts. A copy of the report shall also be filed with the City of Perris Planning Division, the South Coastal Information Center, and the Native American tribe(s) involved with the Project.</p> | | | | |
| <p style="text-align: center;">Cultural Resources</p> | <p>MM CR-2: In the event that human remains (or remains that may be human) are discovered at the Project Sites or within the off-site Project improvement areas during ground-disturbing activities, the construction contractors, Project archaeologist, and/or designated Native American tribal representative shall immediately stop all activities within 100 feet of the find. The Project proponent shall then inform the Riverside County Coroner and the City of Perris Planning Division immediately, and the coroner shall be permitted to examine the remains as required by California Health and Safety Code Section 7050.5(b).</p> <p>If the coroner determines that the remains are of Native American origin, the coroner will notify the Native American Heritage Commission (NAHC), which will identify the “Most Likely Descendent” (MLD). Despite the</p> | <p style="text-align: center;">If human remains are found during site disturbance</p> | <p style="text-align: center;">Planning Division</p> | <p style="text-align: center;">Confirmation of coroner and NAHC contact and submittal of Report of Findings, if applicable</p> | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|--|-----------------------|------------------------------|-----------------------------|--------------------|
| | <p>affiliation with any Native American tribal representative(s) at the Project Sites, the NAHC's identification of the MLD will stand. The MLD shall be granted access to inspect the Project Site of the discovery of Native American human remains and may recommend to the Project proponent means for treatment or disposition, with appropriate dignity of the human remains and any associated grave goods. The MLD shall complete his or her inspection and make recommendations or preferences for treatment within 48 hours of being granted access to the Project Site. The disposition of the remains will be determined in consultation</p> <p>between the Project proponent and the MLD. In the event that there is disagreement regarding the disposition of the remains, State law will apply and median with the NAHC will make the applicable determination (see Public Resources Code Section 5097.98(e) and 5097.94(k)).</p> <p>The specific locations of Native American burials and reburials will be proprietary and not disclosed to the general public. The locations will be</p> | | | | |

**Lake Creek Industrial
 Nance Street Trailer Storage and Maintenance Yards
 DPR 22-00022, DPR 23-00009, and DPR 23-00010
 Mitigation Monitoring and Reporting Program**

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|--------------------------|--|--|------------------------------|--|--------------------|
| | documented by the Project archaeologist in conjunction with the various stakeholders and a report of findings will be filed with the South Coastal Information Center. | | | | |
| Energy | MM Air 20: Each implementing development project shall be encouraged to implement, at a minimum, an increase in each building's energy efficiency 15 percent beyond Title 24 and reduce indoor water use by 25 percent. All reductions will be documented through a checklist to be submitted prior to the issuance of building permits for the implementation of the development project with building plans and calculations. | Prior to issuance of building permits | Building Division | Review of Title 24 worksheet with building plans | |
| Geology and Soils | MM GEO-1: Prior to the issuance of grading permits, the Project proponent/developer shall submit to and receive approval from the City, a Paleontological Resource Impact Mitigation Monitoring Program (PRIMMP). The PRIMMP shall include the provision for a qualified professional paleontologist (or his or her trained paleontological representative) to be on-site for any | Prior to issuance of grading permits and during subsurface excavation | Planning Division | Approval of professional paleontologist by the City of Perris Planning Manager/ongoing monitoring/submittal of Report of Findings | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|---|-----------------------|------------------------------|-----------------------------|--------------------|
| | <p>Project-related excavations. Selection of the paleontologist shall be subject to approval of the City of Perris Planning Manager and no grading activities shall occur at the Project Site or within the off-site Project improvement areas until the paleontologist has been approved by the City.</p> <p>Monitoring shall be restricted to undisturbed subsurface areas of older Quaternary alluvium. The approved paleontologist shall be prepared to quickly salvage fossils as they are unearthed to avoid construction delays. The paleontologist shall also remove samples of sediments which are likely to contain the remains of small fossil invertebrates and vertebrates. The paleontologist shall have the power to temporarily halt or divert grading equipment to allow for removal of abundant or large specimens.</p> <p>Collected samples of sediments shall be washed to recover small invertebrate and vertebrate fossils. Recovered specimens shall be prepared so that they can be identified and permanently preserved. Specimens shall be identified and curated and placed into an accredited repository (such as the</p> | | | | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|--|---|--|---------------------------------|---|--------------------|
| | <p>Western Science Center or the Riverside Metropolitan Museum) with permanent curation and retrievable storage.</p> <p>A report of findings, including an itemized inventory of recovered specimens, shall be prepared upon completion of the steps outlined above. The report shall include a discussion of the significance of all recovered specimens. The report and inventory, when submitted to the City of Perris Planning Division, will signify completion of the program to mitigate impacts on paleontological resources.</p> | | | | |
| Geology and Soils | <p>MM GEO-2: Prior to the start of construction, a paleontological resources Worker Environmental Awareness Program (WEAP) training program shall be presented to all earthmoving personnel to inform them of the possibility for buried resources and the procedures to follow in the event of fossil discoveries.</p> | <p>Prior to issuance of grading permits</p> | <p>Planning Division</p> | <p>Confirmation of professional paleontologist training program</p> | |
| Hazards and Hazardous Materials | <p>MM Haz 2: Prior to the recordation of a final map, issuance of a building permit, or conveyance to an entity exempt from the Subdivision Map Act, whichever occurs first, the landowner shall convey an avigation easement to</p> | <p>Prior to earliest recordation of final map, issuance of building permit, or conveyance to an</p> | <p>Planning Division</p> | <p>Confirmation of conveyance of avigation easement to the MARB/IPA Authority or provide documentation to the City of Perris and the</p> | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|--|---|--|------------------------------|---|--------------------|
| | the March ARB/March Inland Port Airport Authority. | entity exempt from the Subdivision Map Act | | Airport Land Use Commission that such conveyance has previously been recorded | |
| Hazards and Hazardous Materials | MM Haz 3: Any outdoor lighting installed shall be hooded or shielded to prevent either the spillage of lumens or reflection into the sky or above the horizontal plane. | During plot plan/architectural plan review | Building Division | Review and approval of site lighting plans | |
| Hazards and Hazardous Materials | MM Haz 4: The following notice shall be provided to all potential purchasers and tenants: “This property is presently located in the vicinity of an airport, within what is known as an airport influence area. For that reason, the property may be subject to some of the annoyances or inconveniences associated with proximity to airport operations (for example, noise, vibration, or odors). Individual sensitivities to those annoyances can vary from person to person. You may wish to consider what airport annoyances, if any, are associated with the property before you complete your purchase and determine whether they are acceptable to you. Business & Profession Code 11010 13(A)” | Prior to issuance of certificates of occupancy and tenant improvements | Planning Division | Confirmation that purchasers and tenants have been provided the required notice | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|--|---|--|---|---|--------------------|
| Hazards and Hazardous Materials | <p>MM Haz 5: The following uses shall be prohibited:</p> <ul style="list-style-type: none"> • Any use which would direct a steady light or flashing light of red, white, green, or amber colors associated with airport operations toward an aircraft engaged in an initial straight climb following takeoff or toward an aircraft engaged in a straight final approach toward a landing at an airport, other than an FAA-approved navigational signal light or visual approach slope indicator. • Any use which would cause sunlight to be reflected towards an aircraft engaged in an initial straight climb following takeoff or towards an aircraft engaged in a straight final approach towards a landing at an airport. • Any use which would generate smoke or water vapor, or which would attract large concentrations of birds, or which may otherwise affect safe air navigation within the area. • Any use which would generate electrical interference that may be detrimental to the operation of | <p style="text-align: center;">During plot plan/architectural plan review</p> | <p style="text-align: center;">Planning Division</p> | <p style="text-align: center;">Confirmation that prohibited uses and actions are included in executed lease agreements</p> | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|---|---|--|---------------------------------|--|--------------------|
| | <p>aircraft and/or aircraft instrumentation.</p> <ul style="list-style-type: none"> All retention and water quality basins shall be designed to dewater within 48 hours of a rainfall event. | | | | |
| <p>Hazards and Hazardous Materials</p> | <p>MM Haz 6: A minimum of 45 days prior to submittal of an application for a building permit for an implementing development project, the implementing development project applicant shall consult with the City of Perris Planning Department in order to determine whether any implementing project-related vertical structures or construction equipment will encroach into the 100-to-1 imaginary surface surrounding the MARB. If it is determined that there will be an encroachment into the 100-to-1 imaginary surface, the implementing development project applicant shall file a FAA Form 7460-1, Notice of Proposed Construction or Alteration. If FAA determines that the implementing development project would potentially be an obstruction unless reduced to a specified height, the implementing development project applicant and the Perris Planning Division will work with</p> | <p>A minimum of 45 days prior to submittal of a building permit application</p> | <p>Planning Division</p> | <p>Evidence that FAA Form 7460-1 has been filed for construction equipment, if needed</p> | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|--|---|------------------------------|---|--------------------|
| | FAA to resolve any adverse effects on aeronautical operations. | | | | |
| Noise | MM Noise 1: During all project site excavation and grading on-site, the construction contractors shall equip all construction equipment, fixed or mobile, shall be equipped with properly operating and maintained mufflers consistent with manufacturer's standards. The construction contractor shall place all stationary construction equipment so that emitted noise is directed away from the noise sensitive receptors nearest the project site. | Prior to issuance of grading and building permits | Planning Division | Confirmation that this requirement is included in contractor specifications | |
| Noise | MM Noise 2: During construction, stationary construction equipment, stockpiling and vehicle staging areas will be placed a minimum of 446 feet away from the closest sensitive receptor. | Prior to issuance of grading and building permits | Planning Division | Confirmation that this requirement is included in contractor specifications | |
| Noise | MM Noise 3: No combustion-powered equipment, such as pumps or generators, shall be allowed to operate within 446 feet of any occupied residence unless the equipment is | Prior to issuance of grading and building permits | Building Division | Confirmation that this requirement is included in contractor specifications | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|---|--|------------------------------|--|--------------------|
| | surrounded by a noise protection barrier. | | | | |
| Noise | MM Noise 4: Construction contractors of implementing development projects shall limit haul truck deliveries to the same hours specified for construction equipment. To the extent feasible, haul routes shall not pass sensitive land uses or residential dwellings. | Prior to issuance of grading and building permits | Planning Division | Confirmation that this requirement is included in contractor specifications | |
| Noise | MM N-1: An eight-foot temporary construction barrier shall be installed along the eastern and western property lines of 953 West Nance Street during the entirety of construction activities on adjacent lots. Either one-inch plywood or sound blankets that provide a sound level reduction of at least 16 dB shall be utilized for this purpose. They should reach up from the ground and block the line of sight between equipment and existing residences. The shielding shall be without holes and cracks. | Prior to issuance of grading and building permits | Planning Division | Confirmation that this requirement is included in contractor specifications | |
| | MM N-2: The use of back up alarms shall be prohibited within 60 feet of the property line of the parcel located at | Prior to issuance of certificate of occupancy | Planning Division | Confirmation that this requirement is included in tenant agreements | |

Lake Creek Industrial
Nance Street Trailer Storage and Maintenance Yards
DPR 22-00022, DPR 23-00009, and DPR 23-00010
Mitigation Monitoring and Reporting Program

| Impact Category | Mitigation Measure | Implementation Timing | Responsible Monitoring Party | Monitoring/Reporting Method | Staff Verification |
|-----------------|---|--|------------------------------|--|--------------------|
| | 953 West Nance Street during nighttime hours (10:00 PM – 7:00 AM). | | | | |
| | MM N-3: The use of vibratory rollers, or other similar vibratory equipment, within 15 feet and large bulldozers within 8 feet of commercial structures to the southeast shall be prohibited. | Prior to issuance of grading and building permits | Planning Division | Confirmation that this requirement is included in contractor specifications | |